MICRO ANALYTICAL LABORATORIES, INC.
PHASE CONTRAST MICROSCOPY

1122
C & W Environmental Consulting
2532 Santa Clara Avenue
PMB 390
Alameda, CA 94501

PROJECT:
COUNTY OF MONTEREY
SUPERIOR COURTHOUSE
NORTH WING
240 CHURCH STREET
SALINAS, CA

Micro Log In **87153**
Total Samples 2
Date Sampled 09/18/2006
Date Received 09/19/2006
Date Analyzed 09/19/2006

Sample ID	Field Data	Lab Data	Fibers / cc	Limits
Client: **091806-116-01** Micro: 87153-01 **AREA SAMPLE WITHIN ROOM 116 NORTH WING**	Time 130 Rate 9.5 Liters 1235.0	Fibers 89.5 Fields 100 F/mm² 114.0	**0.036**	LCL 0.020 UCL 0.051 LOD 0.002 LOQ 0.031 CV 0.23
Client: **091806-FIELD BLANK** Micro: 87153-02 **FIELD BLANK**	Time Rate Liters	Fibers 0 Fields 100 F/mm² < 7.0		LCL UCL LOD LOQ CV 0.60

Technical Supervisor: _____ 9/19/2006 Analyst: KS
for Frank Raviola, M.S. Date Reported

AIHA IHLAP LABORATORY Accreditation / PAT ID No. 101768. Samples are analyzed using the NIOSH 7400 Method (NIOSH Manual of Analytical Methods, 4th Ed., Issue 2 of Rev. 3, 8/15/1994). The "A" Rules are used, unless otherwise noted. The limit of detection (LOD) is 7 fibers/mm2. Limits of quantification for optimal precision and accuracy are 100 (LOQ) and 1300 fibers/mm2. The 95% UCL and LCL (Upper and Lower Confidence Limits of the Two sided 95% Confidence Interval) represent the highest and lowest expected concentrations (in fibers/cc) for a given fiber count, based on the reported concentration. Intralaboratory coefficients of variation (CV) for various fiber loadings are reported. Limits for compliance testing may be calculated by the client, using the CV and an appropriate regulatory standard, e.g. UCL = (Concentration + [1.645 x CV x Standard]). Concentrations are field blank-corrected. Time is in minutes, flow rate is in liters per minute. 8 Hour TWA: calculated time weighted average concentration (in fibers/cc) based on 8 hours. Note: due to method variability, 95% LCL and UCL for the TWA may vary significantly from reported TWA values. The 8 hour TWA may not be statistically accurate for actual total times less than 8 hours; zero concentration is assumed for remaining time if no information is given. Micro Analytical Laboratories, Inc. assumes no responsibility for clients' interpretation of any requested TWA data or calculations in this report. Unless otherwise indicated on this report, all required Quality Control samples have been determined to be in control prior to releasing these analytical results. This report must not be reproduced except in full, with the approval of Micro Analytical Laboratories, Inc., and pertains only to the samples analyzed. Unless otherwise stated in this report, all samples were received in acceptable condition for analysis. Micro Analytical Laboratories, Inc. shall not be responsible for clients' deviations from any prescribed sampling parameters. Air volumes are based on client data. The labotatory's verifiability of results is limited to fibers per mm2. N/A = not applicable.

C&W Environmental Consulting, Inc.

87153
PCM

CHAIN OF CUSTODY

Project

Client: MONTEREY COUNTY SUPERIOR COURT

Site Address: 240 CHURCH ST., SALINAS, CA - ROOM 116, NORTH WING of COURTHOUSE

Sampling Date: 9/18/06

Page (s): 1 of 1

Turnaround Time: RUSH !

ID	Analysis	Description	Start Time	Stop Time	Total Time	Average LPM	Total Liters	Pore Size
091806-116-01	PCM*	AREA SAMPLE WITHIN ROOM 116 N. WING	13:45	20:55	130	9.5	1235	0.8
091806-FIELD BLANK	PCM		:	:				
			:	:				
		*With re-analysis by TEM - YAMATE II	:	:				
			:	:				
			:	:				
			:	:				
			:	:				
			:	:				
			:	:				

Additional Notes: FAX & EMAIL RESULTS TO C & W.

Relinquished by:	Date & Time	Received by:	Date & Time
	9/18/06 :		9/18/06 5:-
	9/18/06 10:30	Ken Sadler	9/19/06 4:00PM

Asbestos/Lead

2532 Santa Clara Avenue, PMB 390, Alameda, California 94501
Phone (510) 769-7230 ♦ Fax (510) 769-7270
www.cwenvironmental.net